

July 14, 2023

ORSO FARMS LLC
1020 Highway 25
Gilroy, CA 95020

Order No. 546416
Sample No. 1166326

SAMPLE INFORMATION

Description Orso Pro Roll-On
Lot Number OFOP17323
Category Other
Received July 12, 2023

ANALYTICAL RESULTS

Analysis Cannabinoid Profile
Instrument Liquid Chromatography Diode Array Detector (LC-DAD)
Method MF-CHEM-15
Analysis Date July 13, 2023 to July 14, 2023

| Cannabinoid | mg/g | % | Status |
|---------------------|-------|-------|--------|
| Δ8-THC | ND | ND | - |
| Δ9-THC | 0.38 | 0.038 | - |
| Δ9-THCA | ND | ND | - |
| THCV | ND | ND | - |
| THCVA | ND | ND | - |
| CBD | 6.30 | 0.630 | - |
| CBDA | 11.41 | 1.141 | - |
| CBC | 0.52 | 0.052 | - |
| CBCA | 0.43 | 0.043 | - |
| CBDV | ND | ND | - |
| CBG | <LOQ | <LOQ | - |
| CBGA | <LOQ | <LOQ | - |
| CBN | ND | ND | - |
| Total THC | 0.38 | 0.038 | - |
| Total CBD | 16.31 | 1.631 | - |
| Total Cannabinoids | 17.58 | 1.758 | - |
| Sum of Cannabinoids | 19.04 | 1.904 | - |

Comments Insufficient sample amount for density determination.

Reported by
Anresco, Inc.




Eric Tam
Senior Chemist

July 14, 2023

Limit of Detection: 0.067 mg/g
Limit of Quantitation: 0.2 mg/g
ND = None Detected
<LOQ = Below Limit of Quantitation
LOD = Limit of Detection
Total THC = Δ9-THC + (0.877 * Δ9-THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

If there are any questions with this report, please contact "compliance@anresco.com".

July 14, 2023

ORSO FARMS LLC
1020 Highway 25
Gilroy, CA 95020

Order No. 546416
Sample No. 1166326

SAMPLE INFORMATION

Description Orso Pro Roll-On
Lot Number OFOFP17323
Category (Type) Non-Inhalable Topical (Other)
Received July 12, 2023

ANALYTICAL RESULTS

Analysis Heavy Metals ✔ Pass
Instrument Inductively Coupled Plasma Mass Spectrometry (ICP-MS)
Method MF-CHEM-16
Analysis Date July 13, 2023 to July 14, 2023

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---------|----------------|-----------------|--------------|--------|
| Arsenic | 0.02/0.05 | ND | 1.5 | Pass |
| Cadmium | 0.02/0.05 | ND | 0.5 | Pass |
| Mercury | 0.02/0.05 | ND | 3 | Pass |
| Lead | 0.02/0.05 | ND | 0.5 | Pass |

Reported by
Anresco, Inc.

ND = None Detected



Eric Tam
Senior Chemist

July 14, 2023

If there are any questions with this report, please contact "compliance@anresco.com".

July 14, 2023

ORSO FARMS LLC
 1020 Highway 25
 Gilroy, CA 95020

Order No. 546416
 Sample No. 1166326

SAMPLE INFORMATION

Description Orso Pro Roll-On
Lot Number OFOP17323
Category (Type) Non-Inhalable Topical (Other)
Received July 12, 2023

ANALYTICAL RESULTS

Analysis Pesticides Screen ✔ Pass
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method MF-CHEM-13
Analysis Date July 13, 2023 to July 14, 2023

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---------------------|----------------|-----------------|--------------|--------|
| Abamectin | 0.04/0.10 | ND | 0.3 | Pass |
| Acephate | 0.02/0.06 | ND | 5.0 | Pass |
| Acequinocyl | 0.04/0.10 | ND | 4.0 | Pass |
| Acetamiprid | 0.02/0.06 | ND | 5.0 | Pass |
| Aldicarb | 0.02/0.06 | ND | 0.02 | Pass |
| Azoxystrobin | 0.02/0.06 | <LOQ (0.029) | 40.0 | Pass |
| Bifenazate | 0.02/0.06 | ND | 5.0 | Pass |
| Bifenthrin | 0.04/0.10 | ND | 0.5 | Pass |
| Boscalid | 0.02/0.06 | ND | 10.0 | Pass |
| Captan | 0.2/0.6 | ND | 5.0 | Pass |
| Carbaryl | 0.02/0.06 | ND | 0.5 | Pass |
| Carbofuran | 0.02/0.06 | ND | 0.02 | Pass |
| Chlorantraniliprole | 0.02/0.06 | ND | 40.0 | Pass |
| Chlordane | 0.02/0.06 | ND | 0.02 | Pass |
| Chlorfenapyr | 0.02/0.08 | ND | 0.02 | Pass |
| Chlorpyrifos | 0.02/0.06 | ND | 0.02 | Pass |
| Clofentezine | 0.02/0.06 | ND | 0.5 | Pass |
| Coumaphos | 0.02/0.06 | ND | 0.02 | Pass |
| Cyfluthrin | 0.10/0.30 | ND | 1.0 | Pass |
| Cypermethrin | 0.10/0.30 | ND | 1.0 | Pass |
| Daminozide | 0.02/0.06 | ND | 0.02 | Pass |
| DDVP (Dichlorvos) | 0.02/0.06 | ND | 0.02 | Pass |
| Diazinon | 0.02/0.06 | ND | 0.2 | Pass |
| Dimethoate | 0.02/0.06 | ND | 0.02 | Pass |
| Dimethomorph | 0.02/0.06 | ND | 20.0 | Pass |
| Ethoprop(hos) | 0.02/0.06 | ND | 0.02 | Pass |
| Etofenprox | 0.02/0.06 | ND | 0.02 | Pass |
| Etoazole | 0.02/0.06 | ND | 1.5 | Pass |
| Fenhexamid | 0.02/0.06 | ND | 10.0 | Pass |
| Fenoxycarb | 0.02/0.06 | ND | 0.02 | Pass |
| Fenpyroximate | 0.02/0.06 | ND | 2.0 | Pass |

If there are any questions with this report, please contact "compliance@anresco.com".

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-------------------------|----------------|-----------------|--------------|--------|
| Fipronil | 0.02/0.06 | ND | 0.02 | Pass |
| Flonicamid | 0.02/0.06 | ND | 2.0 | Pass |
| Fludioxonil | 0.02/0.06 | ND | 30.0 | Pass |
| Hexythiazox | 0.02/0.06 | ND | 2.0 | Pass |
| Imazalil | 0.02/0.06 | ND | 0.02 | Pass |
| Imidacloprid | 0.02/0.06 | ND | 3.0 | Pass |
| Kresoxim Methyl | 0.02/0.06 | ND | 1.0 | Pass |
| Malathion | 0.02/0.06 | ND | 5.0 | Pass |
| Metalaxyl | 0.02/0.06 | ND | 15.0 | Pass |
| Methiocarb | 0.02/0.06 | ND | 0.02 | Pass |
| Methomyl | 0.02/0.06 | ND | 0.1 | Pass |
| Methyl parathion | 0.02/0.06 | ND | 0.02 | Pass |
| Mevinphos | 0.02/0.06 | ND | 0.02 | Pass |
| Myclobutanil | 0.02/0.06 | ND | 9.0 | Pass |
| Naled | 0.02/0.06 | ND | 0.5 | Pass |
| Oxamyl | 0.02/0.06 | ND | 0.2 | Pass |
| Paclobutrazol | 0.02/0.06 | ND | 0.02 | Pass |
| Pentachloronitrobenzene | 0.04/0.10 | ND | 0.2 | Pass |
| Permethrins | 0.10/0.30 | ND | 20.0 | Pass |
| Phosmet | 0.02/0.06 | ND | 0.2 | Pass |
| Piperonyl Butoxide | 0.02/0.06 | ND | 8.0 | Pass |
| Prallethrin | 0.04/0.10 | ND | 0.4 | Pass |
| Propiconazole | 0.02/0.06 | ND | 20.0 | Pass |
| Propoxur | 0.02/0.06 | ND | 0.02 | Pass |
| Pyrethrins | 0.15/0.50 | ND | 1.0 | Pass |
| Pyridaben | 0.02/0.06 | ND | 3.0 | Pass |
| Spinetoram | 0.02/0.06 | ND | 3.0 | Pass |
| Spinosad | 0.02/0.06 | ND | 3.0 | Pass |
| Spiromesifen | 0.04/0.10 | ND | 12.0 | Pass |
| Spirotetramat | 0.02/0.06 | ND | 13.0 | Pass |
| Spiroxamine | 0.02/0.06 | ND | 0.02 | Pass |
| Tebuconazole | 0.02/0.06 | ND | 2.0 | Pass |
| Thiacloprid | 0.02/0.06 | ND | 0.02 | Pass |
| Thiamethoxam | 0.02/0.06 | ND | 4.5 | Pass |
| Trifloxystrobin | 0.02/0.06 | ND | 30.0 | Pass |

Reported by
Anresco, Inc.

ND = None Detected




Alda Tarr
Analyst II

July 14, 2023

If there are any questions with this report, please contact "compliance@anresco.com".

ANALYTICAL RESULTS

Analysis Mycotoxins Screen ✔ Pass
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method MF-CHEM-13
Analysis Date July 13, 2023 to July 14, 2023

| Analyte | LOD/LOQ (µg/kg) | Findings (µg/kg) | Limit (µg/kg) | Status |
|------------------|-----------------|------------------|---------------|--------|
| Aflatoxin B1 | 2/5 | ND | - | - |
| Aflatoxin B2 | 2/5 | ND | - | - |
| Aflatoxin G1 | 2/5 | ND | - | - |
| Aflatoxin G2 | 2/5 | ND | - | - |
| Total Aflatoxins | 8/20 | ND | 20 | Pass |
| Ochratoxin A | 6/18 | ND | 20 | Pass |

Reported by
Anresco, Inc.

ND = None Detected



Alda Tan
 Analyst II

July 14, 2023

If there are any questions with this report, please contact "compliance@anresco.com".

July 14, 2023

ORSO FARMS LLC
 1020 Highway 25
 Gilroy, CA 95020

Order No. 546416
 Sample No. 1166326

SAMPLE INFORMATION

Description Orso Pro Roll-On
Lot Number OFOFP17323
Category Other
Received July 12, 2023

ANALYTICAL RESULTS

Analysis Foreign Material ✔ Pass
Method MF-MACRO-5
Analysis Date July 13, 2023 to July 14, 2023

| Analyte | Findings | Limit | Status |
|--------------------------------|----------|----------|--------|
| Sand, Soils, Cinders, and Dirt | ND | 25% | Pass |
| Mold | ND | 25% | Pass |
| Imbedded Foreign Material | ND | 25% | Pass |
| Insect Fragment | ND | 1 per 3g | Pass |
| Hair | ND | 1 per 3g | Pass |
| Mammalian Excreta | ND | 1 per 3g | Pass |

Reported by
Anresco, Inc.

ND = None Detected



Eric Tam
 Senior Chemist
 July 14, 2023

If there are any questions with this report, please contact "compliance@anresco.com".

July 14, 2023

ORSO FARMS LLC
1020 Highway 25
Gilroy, CA 95020

Order No. 546416
Sample No. 1166326

SAMPLE INFORMATION

Description Orso Pro Roll-On
Lot Number OFOFP17323
Received July 12, 2023

ANALYTICAL RESULTS

Analysis Date July 13, 2023 to July 14, 2023

| Findings | Analysis | Results | Method |
|----------|------------|-------------|--------------|
| | Salmonella | Negative/1g | AOAC 2016.01 |
| | STEC | Negative/1g | 3M MDS STEC |

Reported by
Anresco, Inc.


Allen Zhu
Analyst

